



Paving Brick



Glen-Gery Paving Brick



One of paving brick's greatest advantages is its stylistic versatility. Glen-Gery offers an assortment of colors, sizes, and finishes in pavers, a superb expression of the company's famous product variety. From the crisp lines of extruded pavers to the historical elegance of molded cobblestone pavers, brick's geometric perfection is an incredible asset in paving design. Countless patterns are at the disposal of any bricklayer and any designer. Indeed, brick's exceptional design versatility makes it a superior choice for most outdoor applications.

On the cover: Oxford & Flashed Maroon Paver Blend
The white colored paver accents in this project are reclaimed Barr Street pavers and are not manufactured by Glen-Gery. The Oxford Pavers and Flashed Maroon Pavers do not contain white accents.



Recycled Repressed
Chamfered Paver



Chambersburg Repressed Chamfered Paver

Types & Patterns

Our genuine clay pavers are available in six different styles from extruded to permeable and a number of colors to meet any project needs. Through the use of decorative bond patterns, the rich colors and pleasing textures create a truly unique project.



Molded



Extruded (Square Edge)



Tumbled




Extruded (Repressed Chamfered)



Permeable




ADA



Running Bond



Herringbone



Basketweave



K&W Red Repressed Chamfered & Cypress Repressed Chamfered Paver Blend



53-DD Paver




Jamestown & Augusta Paver Blend

Personalized Pavers

Glen-Gery's high quality Personalized Paving Brick are the perfect solution for fundraising needs and other special events. Personalized Paving Brick are available in various colors with different lettering styles and graphics to meet individual taste. Visit glengery.com for more information.



Molded



Glen-Gery molded paving brick are manufactured to conform to the ASTM International Standard Specification C 902, Class.



Albany (3 5/8 x 7 5/8)



Augusta (3 5/8 x 7 5/8)



Covington (3 5/8 x 7 5/8)



Jamestown (3 5/8 x 7 5/8)



Salem (3 5/8 x 7 5/8)



Cedarhurst (4 x 8)



Oak Beach (4 x 8)



Old Field (4 x 8)



Oyster Bay (4 x 8)



Sands Point (4 x 8)



26-HB Flashed (4 x 8)



52-DD (4 x 8)



53-DD (4 x 8)



Danish (4 x 8)



Extruded



Glen-Gery extruded and repressed chamfered paving brick are manufactured to conform to the ASTM International Standard Specification C 902, Class SX.

Certain Glen-Gery repressed chamfered paving brick are also manufactured to conform to the requirements of ASTM International Standard Specification C 1272, Type R, Application PS.



Chambersburg Repressed Chamfered (4 x 8)*



Cocoa (4 x 8)*



Flashed Cocoa (4 x 8)



Cypress Repressed Chamfered (4 x 8)*



K&W Old Smokie Repressed Chamfered (4 x 8)*



K&W Red Repressed Chamfered (4 x 8)*



Earthtone Repressed Chamfered (4 x 8)



Brown (3 3/4 x 7 1/2)



Flashed (3 3/4 x 7 1/2)



York Flashed (4 x 8)



Red Clearburn (3 3/4 x 7 1/2)



York Red (4 x 8)



Autumn Haze (4 x 8)



Flashed Maroon (4 x 8)



Oxford (4 x 8)



Red (4 x 8)



Chambersburg Repressed Chamfered Paver

Note: Asterisk (*) denotes product color is available in both Repressed Chamfered and Square Edge styles.

Tumbled, ADA &

Permeable

Glen-Gery tumbled, ADA and permeable paving brick are manufactured to conform to the ASTM International Standard Specification C 902, Class SX.



Cocoa Tumbled (4 x 8)



Flashed Cocoa Tumbled (4 x 8)



K&W Old Smokie Tumbled (4 x 8)




Market Street Tumbled (4 x 8)



K&W Red ADA (4 x 8)



K&W Red Permeable (4 x 8)



26-HB Paver



K&W Red Repressed Chamfered & Cypress Repressed Chamfered Paver Blend



York Flashed Paver



Cypress Repressed Chamfered Paver



Glen-Gery

Corporate Office
1166 Spring Street
P.O. Box 7001
Wyomissing, PA 19610
P: 610.374.4011
www.glengery.com

Due to printing limitations color may vary from actual product. Final selections should always be based on an actual product sample. For more information, please contact your Glen-Gery representative.